



Industrial Electric Vehicle
Herlev Hovedgade 201 A, st
2730 Copenhagen
Denmark, Europe
Tlf: +45 88 377 000
www.ieve.dk

IEV Cargomaster Light



Basic Concepts

Technical Specifications

Speed: 25 km/h, Load: 160 kg

Range: 40-60 km

Motor: 48v/250W, Battery: Lithium, 48V/ 1 kWh

Breaks: Disk, hydraulic; Shock absorber: back wheel; Alu wheel rims

Turning radius, model A: 7 m

Turning Radius, model B, 4 m

Load with loading ramp size: B:60cm x L:80-100cm x H:90 cm (1/2 EU pallet)

Range: 50-70 km per charge, full working day with 600 stop&go

Tracking anti theft GPS: standard

Warranty: 36 months

Frame warranty: 10 years

EC Certified

Options: Any customised box after customers wish (see some examples next page)



CargoMaster Light with fridge



CargoMaster with transport box



CargoMaster with children transport box



IEV trailer, 50 kg load



Led lights, very strong but with only 7 W consumption



Fully adjustable steering, 6 gear shift, switches and case for iPhone



**Water proof removable battery box in alu-casing
With ignition key**



Schocks on rear fork



Hydraulic disk breaks and alu-wheel rims



GPS Anti Teft Position Tracker